

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Vriginia 22313-1450 www.uspto.gov



CONFIRMATION NO. 9606

| Bib Data Sneet | | | | | | | | | |
|---|----------------------|-----------------------------------|--------------|--|------------------------|----------------------------|--|--|--|
| SERIAL NUMB 10/810,780 | ER | FILING DATE 03/25/2004 RULE | CLASS 073 | | GROUP ART UNIT 2856 | | ATTORNEY DOCKET NO. 38055.00004.CIP1 | | |
| APPLICANTS | | | | | | | | | |
| Benjamin Sullivan, La Jolla, CA; | | | | | | | | | |
| Eric Donsky, Los Angeles, CA; | | | | | | | | | |
| ** CONTINUING DATA ********************************** | | | | | | | | | |
| ** FOREIGN APPLICATIONS ************************************ | | | | | | | | | |
| IF REQUIRED, FOREIGN FILING LICENSE GRANTED ** SMALL ENTITY ** ** 06/17/2004 | | | | | | | | | |
| 35 USC 119 (a-d) conditions met wes no Met after Allowance Verified and | | | | | | INDEPENDENT CLAIMS 3 | | | |
| ADDRESS 23562 BAKER & MCKENZIE PATENT DEPARTMENT 2001 ROSS AVENUE SUITE 2300 DALLAS , TX 75201 | | | | | | | | | |
| TITLE Systems and methods for reducing the effect of corruptive signals during nanoliter osmometry | | | | | | | | | |
| | ☐ All Fees | | | | | | | | |
| | □ 1.16 Fees (Filing) | | | | | | | | |
| FILING FEE | | | | | | | | | |

| Other | RECEIVED 657 | No for following: | ☐ 1.18 Fees (Issue) |
|--------|-----------------|-------------------|-----------------------|
| Credit | | | Other |
| | | | ☐ Credit |